


Turmdrehkran

32 TT


30 – 57 m†

Tower Crane / Grue à tour / Gru a torre / Grúa torre
Guindaste de torre / Башенный поворотный кран



EN 14439:2009–C25

LIEBHERR



Gewicht



Weight / Poids / Peso / Peso / Pesos / Macca

	1 x A = 3000 kg	22250 kg	r = 2,5 m		ca. 12200 kg
	11 x B = 19250 kg				
	1 x A = 3000 kg	20500 kg	r = 2,75 m		
	10 x B = 17500 kg				

* siehe Betriebsanleitung. / see instruction manual. / voir manuel de service. / vedi manuale d'istruzione. / ver manual de instrucción. / ver manual de instruções. / см. инструкцию по эксплуатации.


Ausladung und Tragfähigkeit

Radius and capacity / Portée et charge / Sbraccio e portata
Alcances y cargas / Alcance e capacidade de carga / Вылет и грузоподъемность



Auslegersteilstellung 20°

Elevated jib 20°
Flèche inclinée 20°
Braccio inclinato a 20°
Pluma inclinada 20°
Lança inclinada 20°
Положение стрелы под углом 20°








	U/min. 0 ↔ 0,8 sl./min tr./min	2,2 kW EDC
	20,0 / 40,0 m/min	2,6 / 3,5 kW
	10,0 m/min	2,6 kW
	4,0 m/min	5,0 kW


	Stufe / Step / Cran / Marcia / Velocidad Velocidade / Передача	
	kg	m/min
11,0 kW KL 	1	2500 5,0
	2	2500 20,0
	3	1300 40,0
	1	2000 5,0
	2	4000 2,5
	2	2000 20,0
11,0 kW FU 	3	4000 10,0
	3	1300 40,0
	2600 20,0	
	1	2500 4,0
	2	2500 20,0
	3	1300 38,0
	4	1000 50,0
	1	2000 4,0
	4000 2,0	
	2	2000 20,0
	4000 10,0	
	3	1300 38,0
	2600 19,0	
	4	1000 50,0
	2000 25,0	

	400 V	Hz	kVA
50,0 m	4 x 6 mm ² KL	50	22,0 KL
77,0 m	4 x 6 mm ² FU		20,0 FU

Kolli-Liste

Packing List / Liste de colisage / Lista dei colli
Lista de contenido / Lista de embalagem / Упаковочный лист

Pos. Item Rep. Voce Pos. Ref. Поз.	Anz. Qty. Qte. Cant. Cant. Кол-во			L (m)	B (m)	H (m)	kg	
1	1	Transportachse vorne Tra 100 KY 2 / Road transport axle front / Essieux de transport avant / Asse di trasporto anteriore Eje delantero para transporte / Eixo de transporte dianteiro Транспортировочная ось, передняя			4,10	1,42	1,10	750
2	1	Transportachse hinten Tra 120 GY 1A / Road transport axle behind / Essieux de transport arrière / Asse di trasporto posteriore Eje trasero para transporte / Eixo de transporte traseiro / Транспортировочная ось, задняя			1,70	2,50	1,10	1100
3	1	Transportachse vorne Tra 115 / Road transport axle front / Essieux de transport avant / Asse di trasporto anteriore Eje delantero para transporte / Eixo de transporte dianteiro Транспортировочная ось, передняя			4,10	2,50	1,32	1900
4	1	Transportachse hinten Tra 117 GY 1A / Road transport axle behind / Essieux de transport arrière / Asse di trasporto posteriore Eje trasero para transporte / Eixo de transporte traseiro / Транспортировочная ось, задняя			1,80	2,50	1,10	1500
5	1	Transportachse hinten Tra 203 / Road transport axle behind / Essieux de transport arrière / Asse di trasporto posteriore Eje trasero para transporte / Eixo de transporte traseiro / Транспортировочная ось, задняя			3,0	2,50	1,05	2500



Konstruktionsänderungen vorbehalten! / Subject to alterations! / Sous réserves de modifications! / Riservato il diritto di modifiche strutturali! / ¡Sujeto a modificaciones! / Salvo modificação da construçao! / Права на внесение конструкторских изменений сохраняются!

Sämtliche Angaben erfolgen ohne Gewähr. / This information is supplied without liability. / Ces renseignements sont sans garantie. / Tutte le indicazioni fornite senza garanzia. / Declinamos toda responsabilidad derivada de la información proporcionada. / Declinamos qualquer responsabilidade quanto à informação fornecida. / Все данные указаны без обязательств.

120 P – 5805 • EN 14439:2009 – DIN 15018-H1/B3 • BGL C.0.08.0031 • 01.10 / 7

Printed in Germany.